



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office



Try the *new* Portal design
Give us your opinion after using it.

Search Results

Search Results for: **[(pre-image) <AND> (meta_published_date <= 10-01-1997)]**

Found **39** of **111,041** searched. [→ Rerun within the Portal](#)

Search within Results



[> Advanced Search](#)

[> Search Help/Tips](#)

Sort by: [Title](#) [Publication](#) [Publication Date](#) [Score](#)



Binder













Results 1 - 20 of 39 short listing





1 2



- 1** CTL model checking based on forward state traversal 94%
 Hiroaki Iwashita , Tsuneo Nakata , Fumiyasu Hirose
Proceedings of the 1996 IEEE/ACM international conference on Computer-aided design January 1997
- 2** Exact calculation of synchronization sequences based on binary decision diagrams 91%
 C. Pixley , S.-W. Jeong , G. D. Hachtel
Proceedings of the 29th ACM/IEEE conference on Design automation conference July 1992
- 3** Symbolic exploration of large circuits with enhanced forward/backward traversals 90%
 Gianpiero Cabodi , P. Camurati , Stefano Quer
Proceedings of the conference on European design automation conference September 1994
- 4** Improved non-approximability results 87%
 Mihir Bellare , Madhu Sudan
Proceedings of the twenty-sixth annual ACM symposium on Theory of computing May 1994
- 5** Static inference of properties of applicative programs 85%
 Prateek Mishra , Robert M. Keller
Proceedings of the 11th ACM SIGACT-SIGPLAN symposium on Principles of programming languages January 1984
 An applicative program denotes a function mapping values from some domain to some range. Abstract interpretation of applicative programs involves using the standard denotation to describe an abstract function from a "simplified" domain to a "simplified" range, such that computation of the abstract function is effective and yields some information, such as type information, about the standard denotation. We develop a general framework for a restricted ...
- 6** Optimistic protocols for fair exchange 85%
 N. Asokan , Matthias Schunter , Michael Waidner
Proceedings of the 4th ACM conference on Computer and communications security April 1997
- 7** Mapping a functional specification to an object-oriented specification in software re-engineering 85%
 K. Periyasamy , C. Mathew
Proceedings of the 1996 ACM 24th annual conference on Computer science February 1996
- 8** A deterministic linear time algorithm for geometric separators and its applications 85%
 David Eppstein , Gary L. Miller , Shang-Hua Teng
Proceedings of the ninth annual symposium on Computational geometry July 1993
 We give a deterministic linear time algorithm for finding a small cost sphere separator of a k-ply neighborhood system &Fgr; in any fixed dimension, where a k-ply neighborhood system in R^d is a collection of n balls such that no points in the space is covered by more than k

- 9** EFTS related file recovery and integrity problems 84%
 Jack Dugger
Proceedings of the sixth data communications symposium November 1979
 Because of the vast sums involved in Electronic Funds Transfer, the techniques used to recover messages and files must be exceptionally reliable. There is a movement today in EFTS from special purpose, custom built operating systems to more general purpose operating systems with the intent of obtaining greater versatility (higher level languages, data base methodology, etc.) The drawback is that the general purpose recovery systems are usually insufficient, and their code may no longer be a ...
- 10** Fault tolerance in hypercube-derivative networks 82%
 F. Annexstein
Proceedings of the first annual ACM symposium on Parallel algorithms and architectures March 1989
- 11** Degrees of Unsolvability in Formal Grammars 82%
 Dennis F. Cudia , Wilson E. Singletary
Journal of the ACM (JACM) October 1968
 Volume 15 Issue 4
 The following theorem is a refinement of an unsolvability result due to E. Post: For any recursively enumerable degree D of recursive unsolvability there is a recursive class of sequences (of the same length) of nonempty words on an alphabet A such that the Post correspondence decision problem for that class is of degree D. This theorem is proved and then applied to obtain degree analogues of the ambiguity problem and the common ...
- 12** Introduction & overview of "artificial life"—evolving intelligent agents for modeling & simulation 82%
 A. Martin Wildberger
Proceedings of the 28th conference on Winter simulation November 1996
- 13** New sequential and parallel algorithms for generating high dimension Hecke algebras using the condensation technique 82%
 Gene Cooperman , Michael Tselman
Proceedings of the 1996 international symposium on Symbolic and algebraic computation October 1996
- 14** Gate-level timing verification using waveform narrowing 82%
 Jindrich Zejda , Eduard Cerny
Proceedings of the conference on European design automation conference September 1994
- 15** A Theory of Communicating Sequential Processes 80%
 S. D. Brookes , C. A. R. Hoare , A. W. Roscoe
Journal of the ACM (JACM) June 1984
 Volume 31 Issue 3
- 16** Abstraction morphisms for world modelling in high autonomy systems 80%
 Cheng-Jye Luh , Bernard P. Zeigler
Proceedings of the 23rd conference on Winter simulation December 1991
- 17** Experiences using object data management in the real world 80%
 Akmal B. Chaudhri
Addendum to the 1997 ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications (Addendum) January 1997
- 18** Computing subsets of equivalence classes for large FSMs 80%
 Gianpiero Cabodi , Stefano Quer , Paolo Camurati
Proceedings of European design automation conference with EURO-VHDL '95 on EURO-DAC '95 with EURO-VHDL '95 December 1995
- 19** Witness indistinguishable and witness hiding protocols 80%
 U. Feige , A. Shamir
Proceedings of the twenty-second annual ACM symposium on Theory of computing April 1990
- 20** Hidden curve removal for free form surfaces 77%
 Gershon Elber , Elaine Cohen
ACM SIGGRAPH Computer Graphics , Proceedings of the 17th annual conference on Computer graphics and interactive techniques September 1990
 Volume 24 Issue 4

Results 1 - 20 of 39 short listing

 **Prev**
Page 1 2  **Next**
Page

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.


[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office



Try the *new* Portal design
Give us your opinion after using it.

Search Results

Search Results for: **[([pre-image]<AND>(meta_published_date <= 10-01-1997))]**Found **39** of **111,041** searched. [→ Rerun within the Portal](#)

Search within Results

[> Advanced Search](#)[> Search Help/Tips](#)Sort by: **Title** **Publication** **Publication Date** **Score**

Binder

Results **21 - 39** of **39** short listingPrev
Page

1 2

Next
Page**21** Computable process

77%



Yiannis N. Moschovakis

Proceedings of the 17th ACM SIGPLAN-SIGACT symposium on Principles of programming languages December 1989

In this paper we study concurrent, asynchronous processes and functions on them which can be programmed using the (full) unfair or the fair merge operations. The main result is a normal form theorem for these (relatively) "computable process functions" which implies that although they can be very complex when viewed as classical set-functions, they are all "loosely implementable" in the sense of Park [7]. We also announce a variation and a substantial strengthening o ...

22 Event-based debugging of object/action programs

77%



Chu-Chung Lin , Richard J. LeBlanc

ACM SIGPLAN Notices , Proceedings of the 1988 ACM SIGPLAN and SIGOPS workshop on Parallel and distributed debugging

November 1988

Volume 24 Issue 1

23 Using smoothness to achieve parallelism

77%



Leonard Adleman , Kireeti Kompella

Proceedings of the twentieth annual ACM symposium on Theory of computing January 1988**24** Local constraints in the syntax and semantics of programming languages

77%



Aravind K. Joshi , Leon S. Levy , Kang Yueh

Proceedings of the 5th ACM SIGACT-SIGPLAN symposium on Principles of programming languages January 1978

The method of local constraints attempts to describe context-free languages in an apparently context-sensitive form which helps to retain the intuitive insights about the grammatical structure. This form of description, while apparently context-sensitive is, in fact, context-free and allows a program derivation structure to be represented as a tree with additional constraints, thus allowing for the possibility of a correctness proof in the form of Knuthian semantics. A part of ALGOL 60 syntax ha ...

25 Graph Structures

77%



John L. Pfaltz

Journal of the ACM (JACM) July 1972

Volume 19 Issue 3

26 Addressable Data Graphs

77%



Arnold L. Rosenberg














Journal of the ACM (JACM) April 1972

Volume 19 Issue 2



27 Maximal empty ellipsoids

77%

Rex A. Dwyer , William F. Eddy

-  **Proceedings of the fifth annual ACM-SIAM symposium on Discrete algorithms** January 1994
- 28** A fixpoint semantics for nondeterministic data flow 77%
 John Staples , V. L. Nguyen
Journal of the ACM (JACM) April 1985
 Volume 32 Issue 2
 Criteria for adequacy of a data flow semantics are discussed and Kahn's successful semantics for functional (deterministic) data flow is reviewed. Problems arising from nondeterminism are introduced and the paper's approach to overcoming them is introduced. The approach is based on generalizing the notion of input-output relation, essentially to a partially ordered multiset of input-output histories. The Brock-Ackerman anomalies concerning the input-output relation model of nondeterministic ...
- 29** A new on-line cash check scheme 77%
 Robert H. Deng , Yongfei Han , Albert B. Jeng , Teow-Hin Ngair
Proceedings of the 4th ACM conference on Computer and communications security April 1997
- 30** Conjunctive query equivalence of keyed relational schemas (extended abstract) 77%
 Joseph Albert , Yanis Ioannidis , Raghu Ramakrishnan
Proceedings of the sixteenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems May 1997
- 31** Algebraic decision diagrams and their applications 77%
 R. Iris Bahar , Erica A. Frohm , Charles M. Gaona , Gary D. Hachtel , Enrico Macii , Abelardo Pardo , Fabio Somenzi
Proceedings of the IEEE/ACM international conference on Computer-aided design November 1993
- 32** Algebraic approaches to nondeterminism—an overview 77%
 Michał Walicki , Sigurd Meldal
ACM Computing Surveys (CSUR) March 1997
 Volume 29 Issue 1
- 33** Hierarchical strategy of model partitioning for VLSI-design using an improved mixture of experts approach 77%
 K. Hering , R. Haupt , Th. Villmann
ACM SIGSIM Simulation Digest , Proceedings of the tenth workshop on Parallel and distributed simulation July 1996
 Volume 26 Issue 1
- 34** Disk packings and planar separators 77%
 Daniel A. Spielman , Shang-Hua Teng
Proceedings of the twelfth annual symposium on Computational geometry May 1996
- 35** Interactive multiresolution surface viewing 77%
 Andrew Certain , Jovan Popovic , Tony DeRose , Tom Duchamp , David Salesin , Werner Stuetzle
Proceedings of the 23rd annual conference on Computer graphics and interactive techniques August 1996
- 36** Mesh optimization 77%
 Hugues Hoppe , Tony DeRose , Tom Duchamp , John McDonald , Werner Stuetzle
Proceedings of the 20th annual conference on Computer graphics and interactive techniques September 1993
- 37** Minimum length synchronizing sequences of finite state machine 77%
 June-Kyung Rho , Fabio Somenzi , Carl Pixley
Proceedings of the 30th international on Design automation conference July 1993
- 38** Functional composition algorithms via blossoming 77%
 Tony D. DeRose , Ronald N. Goldman , Hans Hagen , Stephen Mann
ACM Transactions on Graphics (TOG) April 1993
 Volume 12 Issue 2
 In view of the fundamental role that functional composition plays in mathematics, it is not surprising that a variety of problems in geometric modeling can be viewed as instances of the following composition problem: given representations for two functions F and G, compute a representation of the function $H = F \circ G$. We examine this problem in detail for the case when F and G are given in ei ...
- 39** Searching for primitive roots in finite fields 77%
 V. Shoup
Proceedings of the twenty-second annual ACM symposium on Theory of computing April 1990

Results 21 - 39 of 39 short listing

 **Prev**
Page 1 2  **Next**
Page

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.